



Description and characteristics of the system EXACT

- Rows of plants in front of machine are recorded by a video camera.
- The resulting image is processed by the computer to identify a high concentration of green pigment recognizing cultivated plant.
- Due to the wide-view camera and processing several rows of crops at the same time, the system is reached a optimal central fixation of cultivated crops. The resulting image is compared with the established system EXACT grid divisions, which indicating the row spacing.
- This information is used to accommodate working groups of tilled cultivator in the center between rows with a hydraulic displacement unit.



Thanks to the amendment of the camera information with the graphical network of the EXACT system, the following is made possible:

- Effective soil cultivation in case of strong weed growth.
- Avoidance of plant cutting.
- Working speed of the cultivator is increased to up to 18 km/h; while increasing the productivity by 2-3 times.







Description and characteristics of the system EXACT

EXACT system in the new improved version, a system of hydraulic side shift with the following items:

- "CMOS" image transmission camera with new robust steel housing and high dynamics range in order to improve the productivity.
- New 9 inch touch screen monitor with one single cable connection and clear transmission of the information in real time.
- The drive section of the lateral displacement system has a three-point attachment of category 2 or 3 and features a new improved design and easy operating setting of the sensors.
- The support wheel is equipped with a speed sensor.
- The latest software version is the result of many years of tests and improvements and allows for working in crops with fine adjustment selection for the green or red leaves and offers an overview of row tracking exact to one centimetre. The software even allows for precise row processing at a high working speed of the cultivator of up to 18 km/h.
- If necessary, the second video camera can be connected. Thanks to the USB port, your settings can be stored and restored at any time. For language support, oriental and Cyrillic languages are provided.
- Input voltage range to the tractor has been extended: 5-20V.





GERMAN AGRICULTURAL TECHNOLOGY FOR PROFESSIONALS



EXACT precision guidance system allows for cultivation at a distance as close to the sowing rows as possible and on the trails. During the steep travel of the tractor on the trails, the cultivator frame keeps all sections precisely in between the rows.





EXACT precision guidance system allows:

- Avoidance of row cutting even during the lateral displacements of the tractor on the trails.
- Increase the working speed of the cultivator to 18 km / h.
- Increase the processing capacity by 2-3 times. EXACT system allows for the processing of the crops 24 hours a day.





A PRACTICAL EXAMPLE OF A PAYBACK CALCULATION

One of our client form Ukraine has bought our inter-row cultivator **GELIO** with precision guidance system **EXACT**.

It was a last minute purchase late in the season. He has cultivated only 600 ha of his corn fields.

These 600 ha have given 12 tones/ha.

The rest area, which was not cultivated with our systems has given ca. 10 tones/ha.

600 ha x 2 tones (2 tones more harvest then from the rest area) = 1.200 tones 1.200 tones x 140€ (the price for 1 ton of corn) = 168.000,00€

The client has paid for inter-row cultivator **GELIO** for corn 16 rows x 70 cm + **EXACT** precision guidance system 53.024,00€

Usually the purchase of the guidance system EXACT and cultivator GELIO pays off after processing only 200-250 hectares.

Do not forget that you can work with the speed up to 18km/h. This means you need only 1 cultivator with guidance system instead of 2 or 3 machines. This also makes, that you do not need 2 or 3 tractors and 2 or 3 drivers.

A very important point is also, that our guidance system allows you to work at night and to cultivate up to 2.400 ha per season.